



A Regional Perspective: County Health Rankings 2012

Compiled by the Regional Primary Care Coalition
May 2012 | Draft
www.regionalprimarycare.org


Part One:

Health Outcomes and Health Factors (Health Behaviors)

<i>Health Outcomes</i>	3
Premature Death	3
Adults Reporting Poor or Fair Health	4
Poor Physical Health Days	5
Poor Mental Health Days	6
Low Birthweight	7
Diabetes	8
<i>Health Factors: Health Behaviors</i>	9
Adult Smoking Prevalence	9
Adult Obesity	10
Physical Inactivity	11
Excessive Drinking	12
Motor Vehicle Crash Death Rate	13
Teen Birth Rate	14


[Open Part Two: Health Factors – Clinical Care, Social and Economic Factors, and Physical Environment](#)

Premature Death*




*Years of potential life lost before age 75 per 100,000 population (age adjusted). County Health Rankings 2012, using data from the National Vital Statistics System (NVSS) at the Centers for Disease Control and Prevention's National Center for Health Statistics 2006-2008. National Benchmark is set at 90th percentile.

Poor or Fair Health*



*Percent of adults reporting fair or poor health (age-adjusted). County Health Ranking 2012, using data from the Centers for Disease Control and Prevention's Behavioral Risk Factor Surveillance System (BRFSS) 2004-2010. National benchmark is set at 90th percentile.

Poor Physical Health Days*




*Average number of physically unhealthy days reported in the past 30 days (age adjusted). County Health Rankings 2012, using data from the Centers for Disease Control and Prevention's Behavioral Risk Factor Surveillance System (BRFSS) 2004-2010. National Benchmark is set at 90th percentile.

Compiled by the Regional Primary Care Coalition


www.regionalprimarycare.org

Poor Mental Health Days*




*Average number of mentally unhealthy days reported in the past 30 days (age adjusted). County Health Rankings 2012, using data from the Centers for Disease Control and Prevention's Behavioral Risk Factor Surveillance System (BRFSS)2004-2010. National Benchmark is set at 90th percentile.

Low Birthweight*




*Percent of live births with low birthweight (less than 2,500 grams or approximately 5 lbs., 8oz). County Health Rankings 2012, using data from the National Vital Statistics System (NVSS) at the Centers for Disease Control and Prevention's National Center for Health Statistics 2002-2008. National Benchmark is set at 90th percentile.

Diabetes*




*Percent of adults aged 20 and above with diagnosed diabetes . County Health Rankings 2012, calculated by the Centers for Disease Control and Prevention's National Center for Chronic Disease Prevention and Health Promotion, Division of Diabetes Translation using three years of Behavioral Risk Factor Surveillance System (BRFSS) 2009.

Adult Smoking*




*Percent of adults that report smoking > = 100 cigarettes and currently smoke. County Health Rankings 2012, calculated by the National Center for Health Statistics using data from the Centers for Disease Control and Prevention’s Behavioral Risk Factor Surveillance System (BRFSS) 2004-2010. National Benchmark is set at 90th percentile

Adult Obesity*




*Percent of adults that report a BMI \geq 30. County Health Rankings 2012, calculated by the Centers for Disease Control and Prevention's National Center for Chronic Disease Prevention and Health Promotion, Division of Diabetes Translation, using multiple years of data from the Behavioral Risk Factor Surveillance System (BRFSS) 2009. National Benchmark is set at 90th percentile.

Physical Inactivity*




* Percent of adults aged 20 and over reporting no leisure time physical activity. County Health Rankings 2012, calculated by the Centers for Disease Control and Prevention's National Center for Chronic Disease Prevention and Health Promotion, Division of Diabetes Translation using multiple years of Behavioral Risk Factor Surveillance System (BRFSS) 2009. National Benchmark is set at 90th percentile.

Excessive Drinking*




*Percent of adults that report either binge or heavy drinking. County Health Rankings 2012, calculated by the National Center for Health Statistics using data from the Centers for Disease Control and Prevention's Behavioral Risk Factor Surveillance System (BRFFS) 2004-2010. National Benchmark is set at 90th percentile.

Motor Vehicle Crash Death Rate*



*Motor vehicle crash deaths per 100,000 population. County Health Rankings 2012, calculated by the National Center for Health Statistics (NCHS), part of the Centers for Disease Control and Prevention (CDC), based on data reported to the National Vital Statistics System (NVSS) 2002-2008. National Benchmark is set at 90th percentile.

Teen Birth Rate*



*Teen birth rate per 1,000 female population, ages 15-19. County Health Rankings 2012, using data from the Centers for Disease Control and Prevention's National Vital Statistics System (NVSS) at the National Center for Health Statistics 2002-2008. National Benchmark is set at 90th percentile.